

BEHAVIORAL HEALTH DIAGNOSES

3. Behavioral Health Diagnoses [REPORTED BY PROGRAM STAFF.]

Please indicate the consumer's current behavioral health diagnoses using the International Classification of Diseases, 10th Revision, Clinical Modification (ICD-10-CM) codes listed below. Please note that some substance use disorder ICD-10-CM codes have been crosswalked to the *Diagnostic and Statistical Manual of Mental Disorders (DSM-5)* descriptors. Select up to three diagnoses. For each diagnosis selected, please indicate whether it is primary, secondary, or tertiary, if known. Only one diagnosis can be primary, only one can be secondary, and only one can be tertiary.

Behavioral Health Diagnoses	Diagnosed?	For each diagnosis selected, please indicate whether the diagnosis is primary, secondary, or tertiary, if known		
	Select up to 3	Primary	Secondary	Tertiary
<u>SUBSTANCE USE DISORDER DIAGNOSES</u>				
<u>Alcohol-related disorders</u>				
F10.10 – Alcohol use disorder, uncomplicated, mild	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F10.11 – Alcohol use disorder, mild, in remission	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F10.20 – Alcohol use disorder, uncomplicated, moderate/severe	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F10.21 – Alcohol use disorder, moderate/severe, in remission	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F10.9 – Alcohol use, unspecified	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<u>Opioid-related disorders</u>				
F11.10 – Opioid use disorder, uncomplicated, mild	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F11.11 – Opioid use disorder, mild, in remission	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F11.20 – Opioid use disorder, uncomplicated, moderate/severe	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F11.21 – Opioid use disorder, moderate/severe, in remission	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F11.9 – Opioid use, unspecified	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<u>Cannabis-related disorders</u>				
F12.10 – Cannabis use disorder, uncomplicated, mild	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F12.11 – Cannabis use disorder, mild, in remission	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F12.20 – Cannabis use disorder, uncomplicated, moderate/severe	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F12.21 – Cannabis use disorder, moderate/severe, in remission	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F12.9 – Cannabis use, unspecified	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<u>Sedative-, hypnotic-, or anxiolytic-related disorders</u>				
F13.10 – Sedative, hypnotic, or anxiolytic use disorder, uncomplicated, mild	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F13.11 – Sedative, hypnotic, or anxiolytic use disorder, mild, in remission	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

BEHAVIORAL HEALTH DIAGNOSES (CONTINUED)

Behavioral Health Diagnoses	Diagnosed?	For each diagnosis selected, please indicate whether the diagnosis is primary, secondary, or tertiary, if known		
	Select up to 3	Primary	Secondary	Tertiary
F13.20 – Sedative, hypnotic, or anxiolytic use disorder, uncomplicated, moderate/severe	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F13.21 – Sedative, hypnotic, or anxiolytic use disorder, moderate/severe, in remission	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F13.9 – Sedative, hypnotic, or anxiolytic use, unspecified	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<u>Cocaine-related disorders</u>				
F14.10 – Cocaine use disorder, uncomplicated, mild	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F14.11 – Cocaine use disorder, mild, in remission	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F14.20 – Cocaine use disorder, uncomplicated, moderate/severe	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F14.21 – Cocaine use disorder, moderate/severe, in remission	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F14.9 – Cocaine use, unspecified	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<u>Other stimulant-related disorders</u>				
F15.10 – Other stimulant use disorder, uncomplicated, mild	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F15.11 – Other stimulant use disorder, mild, in remission	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F15.20 – Other stimulant use disorder, uncomplicated, moderate/severe	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F15.21 – Other stimulant use disorder, moderate/severe, in remission	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F15.9 – Other stimulant use, unspecified	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<u>Hallucinogen-related disorders</u>				
F16.10 – Hallucinogen use disorder, uncomplicated, mild	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F16.11 – Hallucinogen use disorder, mild, in remission	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F16.20 – Hallucinogen use disorder, uncomplicated, moderate/severe	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F16.21 – Hallucinogen use disorder moderate/severe, in remission	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F16.9 – Hallucinogen use, unspecified	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<u>Inhalant-related disorders</u>				
F18.10 – Inhalant use disorder, uncomplicated, mild	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F18.11 – Inhalant use disorder, mild, in remission	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F18.20 – Inhalant use disorder, uncomplicated, moderate/severe	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F18.21 – Inhalant use disorder, moderate/severe, in remission	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F18.9 – Inhalant use, unspecified	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

BEHAVIORAL HEALTH DIAGNOSES (CONTINUED)

Behavioral Health Diagnoses	Diagnosed?	For each diagnosis selected, please indicate whether the diagnosis is primary, secondary, or tertiary, if known		
	Select up to 3	Primary	Secondary	Tertiary
<u>Other psychoactive substance-related disorders</u>				
F19.10 – Other psychoactive substance use disorder, uncomplicated, mild	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F19.11 – Other psychoactive substance use disorder, in remission	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F19.20 – Other psychoactive substance use disorder, uncomplicated, moderate/severe	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F19.21 – Other psychoactive substance use disorder, moderate/severe, in remission	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F19.9 – Other psychoactive substance use, unspecified	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<u>Nicotine dependence</u>				
F17.20 – Tobacco use disorder, mild/moderate/severe	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F17.21 – Tobacco use disorder, mild/moderate/severe, in remission	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<u>MENTAL HEALTH DIAGNOSES</u>				
F20 – Schizophrenia	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F21 – Schizotypal disorder	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F22 – Delusional disorder	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F23 – Brief psychotic disorder	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F24 – Shared psychotic disorder	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F25 – Schizoaffective disorders	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F28 – Other psychotic disorder not due to a substance or known physiological condition	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F29 – Unspecified psychosis not due to a substance or known physiological condition	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F30 – Manic episode	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F31 – Bipolar disorder	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F32 – Major depressive disorder, single episode	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F33 – Major depressive disorder, recurrent	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F34 – Persistent mood [affective] disorders	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F39 – Unspecified mood [affective] disorder	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F40–F48 – Anxiety, dissociative, stress-related, somatoform, and other nonpsychotic mental disorders	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F50 – Eating disorders	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F51 – Sleep disorders not due to a substance or known physiological condition	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F60.2 – Antisocial personality disorder	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F60.3 – Borderline personality disorder	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

BEHAVIORAL HEALTH DIAGNOSES (CONTINUED)

Behavioral Health Diagnoses	Diagnosed?	For each diagnosis selected, please indicate whether the diagnosis is primary, secondary, or tertiary, if known		
	Select up to 3	Primary	Secondary	Tertiary
F60.0, F60.1, F60.4–F69 – Other personality disorders	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F70–F79 – Intellectual disabilities	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F80–F89 – Pervasive and specific developmental disorders	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F90 – Attention-deficit hyperactivity disorders	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F91 – Conduct disorders	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F93 – Emotional disorders with onset specific to childhood	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F94 – Disorders of social functioning with onset specific to childhood or adolescence	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F95 – Tic disorder	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F98 – Other behavioral and emotional disorders with onset usually occurring in childhood and adolescence	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
F99 – Unspecified mental disorder	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

- Don't know
- None of the above